#### myfreebingocards.com

#### **Safety First!**

Before you print all your bingo cards, please print a test page to check they come out the right size and color. Your bingo cards start on Page 3 of this PDF.

If your bingo cards have words then please check the spelling carefully.

If you need to make any changes go to mfbc.us/e/k75jc

#### Play

Once you've checked they are printing correctly, print off your bingo cards and start playing! On the next page you will find the "Bingo Caller's Card" - this is used to call the bingo and keep track of which words have been called. Your bingo cards start on Page 3.

#### **Virtual Bingo**

Please do not try to split this PDF into individual bingo cards to send out to players. We have tools on our site to send out links to individual bingo cards. For help go to <a href="mailto:myfreebingocards.com/virtual-bingo">myfreebingocards.com/virtual-bingo</a>.

#### Help

If you're having trouble printing your bingo cards or using the bingo card generator then please go to <a href="https://myfreebingocards.com/faq">https://myfreebingocards.com/faq</a> where you will find solutions to most common problems.

#### **Share**

Pin these bingo cards on Pinterest, share on Facebook, or post this link: mfbc.us/s/k75jc

#### **Edit and Create**

To add more words or make changes to this set of bingo cards go to mfbc.us/e/k75jc

Go to <u>myfreebingocards.com/bingo-card-generator</u> to create a new set of bingo cards.

#### Legal

The terms of use for these printable bingo cards can be found at <a href="mailto:myfreebingocards.com/terms">myfreebingocards.com/terms</a>.

#### **Have Fun!**

If you have any feedback or suggestions, drop us an email on hello@myfreebingocards.com.

#### **Bingo Caller's Card**

Use your Bingo Caller's Card to call the bingo and keep track of which words you have already called.

Print two copies of the caller's card. Cut one copy up, fold the squares in half, and put them in a hat. To call the bingo, pull a square out of the hat, unfold it and read it out.

When you have called a word/number, tick it off on the second copy of the caller's card. You can use the second copy of the caller's card to check if a player has a winning card during a game.

ICC 500	STORM SHELTER	SMOKE BARRIER	MULLION	RABBET	ASTRAGAL	POSITIVE LATCHING
AUTOMATIC CLOSING	UL 1784	ASTM E119	FIRE RESISTANCE RATED	FIRE PROTECTION RATED	UL 10C	NFPA 252
TEMPERATURE RISE	EXIT PASSAGEWAY	SAFETY GLAZING	COMMUNICATING DOOR	SMOKE ACTIVATED	KEY OPERATED LOCK	CONTROLLED EGRESS
UL 294	DELAYED EGRESS	SENSOR RELEASE	ELECTRO MAGNETICALLY LOCKED			

0	SMOKE ACTIVATED	AUTOMATIC CLOSING	MULLION	DELAYED EGRESS	RABBET
0	ICC 500	SAFETY GLAZING	SMOKE BARRIER	POSITIVE LATCHING	CONTROLLED EGRESS
0	STORM SHELTER	ELECTRO MAGNETICALLY LOCKED	UL 10C	ASTRAGAL	UL 1784
0	FIRE PROTECTION RATED	ASTM E119	KEY OPERATED LOCK	UL 294	FIRE RESISTANCE RATED
0	EXIT PASSAGEWAY	COMMUNICATING DOOR	SENSOR RELEASE	NFPA 252	TEMPERATURE RISE

0	SMOKE	NFPA	SAFETY	SMOKE	FIRE
0	BARRIER	252	GLAZING	ACTIVATED	PROTECTION RATED
0	ICC	ELECTRO	CENCOD	STORM	DELAVED
0	500	MAGNETICALLY LOCKED	SENSOR RELEASE	SHELTER	DELAYED EGRESS
0	UL 1784	FIRE RESISTANCE RATED	COMMUNICATING DOOR	ASTRAGAL	KEY OPERATED LOCK
0	CONTROLLED EGRESS	AUTOMATIC CLOSING	UL 10C	ASTM E119	MULLION
0			100	LII9	
0	RABBET	EXIT PASSAGEWAY	TEMPERATURE RISE	POSITIVE	UL
0		rassageway	LT2E	LATCHING	294

0	SENSOR RELEASE	POSITIVE LATCHING	SMOKE BARRIER	FIRE RESISTANCE RATED	KEY OPERATED LOCK
0	TEMPERATURE RISE	DELAYED EGRESS	UL 294	AUTOMATIC CLOSING	UL 10C
0	ELECTRO MAGNETICALLY LOCKED	NFPA 252	SMOKE ACTIVATED	ASTRAGAL	SAFETY GLAZING
0	EXIT PASSAGEWAY	STORM SHELTER	ASTM E119	FIRE PROTECTION RATED	UL 1784
0	RABBET	MULLION	ICC 500	CONTROLLED EGRESS	COMMUNICATING DOOR

0	UL 10C	MULLION	STORM SHELTER	CONTROLLED EGRESS	NFPA 252
0	ASTRAGAL	POSITIVE LATCHING	RABBET	UL 1784	SMOKE BARRIER
0	SMOKE ACTIVATED	SENSOR RELEASE	UL 294	ELECTRO MAGNETICALLY LOCKED	COMMUNICATING DOOR
0	FIRE RESISTANCE RATED	FIRE PROTECTION RATED	DELAYED EGRESS	TEMPERATURE RISE	ICC 500
0	SAFETY GLAZING	AUTOMATIC CLOSING	KEY OPERATED LOCK	ASTM E119	EXIT PASSAGEWAY

0	MULLION	CONTROLLED EGRESS	UL 10C	ELECTRO MAGNETICALLY LOCKED	ASTM E119
0	FIRE PROTECTION RATED	SMOKE BARRIER	SAFETY GLAZING	ASTRAGAL	TEMPERATURE RISE
0	UL 294	AUTOMATIC CLOSING	UL 1784	ICC 500	KEY OPERATED LOCK
0	DELAYED EGRESS	COMMUNICATING DOOR	POSITIVE LATCHING	FIRE RESISTANCE RATED	SMOKE ACTIVATED
0	EXIT PASSAGEWAY	STORM SHELTER	SENSOR RELEASE	NFPA 252	RABBET

0	MULLION	AUTOMATIC CLOSING	SMOKE ACTIVATED	DELAYED EGRESS	UL 294
0	COMMUNICATING DOOR	SAFETY GLAZING	ELECTRO MAGNETICALLY LOCKED	NFPA 252	SMOKE BARRIER
0	POSITIVE LATCHING	ASTM E119	SENSOR RELEASE	RABBET	KEY OPERATED LOCK
0	FIRE PROTECTION RATED	STORM SHELTER	UL 10C	UL 1784	ICC 500
0	FIRE RESISTANCE RATED	TEMPERATURE RISE	CONTROLLED EGRESS	ASTRAGAL	EXIT PASSAGEWAY

0	UL 1784	COMMUNICATING DOOR	RABBET	STORM SHELTER	UL 294
0	EXIT PASSAGEWAY	SMOKE BARRIER	SAFETY GLAZING	DELAYED EGRESS	KEY OPERATED LOCK
0	ELECTRO MAGNETICALLY LOCKED	SENSOR RELEASE	ICC 500	ASTRAGAL	POSITIVE LATCHING
0	MULLION	NFPA 252	FIRE RESISTANCE RATED	ASTM E119	UL 10C
0	SMOKE ACTIVATED	FIRE PROTECTION RATED	CONTROLLED EGRESS	TEMPERATURE RISE	AUTOMATIC CLOSING

0	UL 1784	SMOKE ACTIVATED	FIRE PROTECTION RATED	ICC 500	ASTM E119
0	COMMUNICATING DOOR	UL 10C	ASTRAGAL	MULLION	CONTROLLED EGRESS
0	SMOKE BARRIER	SENSOR RELEASE	POSITIVE LATCHING	ELECTRO MAGNETICALLY LOCKED	DELAYED EGRESS
0	TEMPERATURE RISE	AUTOMATIC CLOSING	UL 294	KEY OPERATED LOCK	RABBET
0	FIRE RESISTANCE RATED	EXIT PASSAGEWAY	SAFETY GLAZING	NFPA 252	STORM SHELTER

0	FIRE PROTECTION RATED	FIRE RESISTANCE RATED	NFPA 252	STORM SHELTER	ASTRAGAL
0	MULLION	CONTROLLED EGRESS	DELAYED EGRESS	KEY OPERATED LOCK	SMOKE ACTIVATED
0	SENSOR RELEASE	POSITIVE LATCHING	UL 1784	ELECTRO MAGNETICALLY LOCKED	SAFETY GLAZING
0	TEMPERATURE RISE	EXIT PASSAGEWAY	RABBET	COMMUNICATING DOOR	ICC 500
0	ASTM E119	SMOKE BARRIER	AUTOMATIC CLOSING	UL 294	UL 10C

0	UL 10C	STORM SHELTER	RABBET	AUTOMATIC CLOSING	COMMUNICATING DOOR
0	SAFETY GLAZING	EXIT PASSAGEWAY	ELECTRO MAGNETICALLY LOCKED	ASTRAGAL	ASTM E119
0	NFPA 252	UL 294	SMOKE ACTIVATED	FIRE RESISTANCE RATED	SMOKE BARRIER
0	KEY OPERATED LOCK	UL 1784	MULLION	TEMPERATURE RISE	CONTROLLED EGRESS
0	ICC 500	SENSOR RELEASE	FIRE PROTECTION RATED	DELAYED EGRESS	POSITIVE LATCHING

0	AUTOMATIC CLOSING	TEMPERATURE RISE	SMOKE ACTIVATED	ASTRAGAL	DELAYED EGRESS
0	POSITIVE LATCHING	FIRE PROTECTION RATED	MULLION	NFPA 252	SMOKE BARRIER
0	EXIT PASSAGEWAY	UL 1784	RABBET	UL 294	KEY OPERATED LOCK
0	SAFETY GLAZING	SENSOR RELEASE	STORM SHELTER	COMMUNICATING DOOR	UL 10C
0	ASTM E119	ELECTRO MAGNETICALLY LOCKED	CONTROLLED EGRESS	ICC 500	FIRE RESISTANCE RATED

0	SAFETY GLAZING	EXIT PASSAGEWAY	POSITIVE LATCHING	AUTOMATIC CLOSING	ELECTRO MAGNETICALLY LOCKED
0	FIRE RESISTANCE RATED	NFPA 252	ICC 500	TEMPERATURE RISE	DELAYED EGRESS
0	KEY OPERATED LOCK	SMOKE BARRIER	ASTRAGAL	UL 294	UL 1784
0	MULLION	UL 10C	SMOKE ACTIVATED	FIRE PROTECTION RATED	COMMUNICATING DOOR
0	ASTM E119	SENSOR RELEASE	RABBET	STORM SHELTER	CONTROLLED EGRESS

0	SMOKE BARRIER	UL 294	CONTROLLED EGRESS	FIRE PROTECTION RATED	FIRE RESISTANCE RATED
0	NFPA 252	COMMUNICATING DOOR	DELAYED EGRESS	UL 1784	POSITIVE LATCHING
0	SAFETY GLAZING	STORM SHELTER	SMOKE ACTIVATED	ELECTRO MAGNETICALLY LOCKED	EXIT PASSAGEWAY
0	ASTM E119	RABBET	ASTRAGAL	ICC 500	UL 10C
0	AUTOMATIC CLOSING	KEY OPERATED LOCK	MULLION	TEMPERATURE RISE	SENSOR RELEASE

0	FIRE RESISTANCE RATED	UL 294	CONTROLLED EGRESS	KEY OPERATED LOCK	NFPA 252
0	COMMUNICATING DOOR	SMOKE BARRIER	SENSOR RELEASE	ICC 500	POSITIVE LATCHING
0	ELECTRO MAGNETICALLY LOCKED	TEMPERATURE RISE	SAFETY GLAZING	ASTM E119	MULLION
0	RABBET	ASTRAGAL	UL 10C	DELAYED EGRESS	STORM SHELTER
0	SMOKE ACTIVATED	UL 1784	FIRE PROTECTION RATED	EXIT PASSAGEWAY	AUTOMATIC CLOSING

0	EVIT.	FIRE		SAFETY	ALITOMATIC
0	EXIT PASSAGEWAY	PROTECTION RATED	MULLION	GLAZING	AUTOMATIC CLOSING
0		1.11	NEDA		
0	SENSOR RELEASE	UL 10C	NFPA 252	DELAYED EGRESS	ASTRAGAL
0		100	232		
0	POSITIVE	CONTROLLED	STORM	SMOKE	SMOKE
0	LATCHING	EGRESS	SHELTER	BARRIER	ACTIVATED
0	UL	ICC		UL	ASTM
0	294	500	ELECTRO MAGNETICALLY LOCKED	1784	E119
		000		1701	
0	TEMPERATURE	COMMUNICATING DOOR	RABBET	KEY OPERATED	FIRE RESISTANCE
0	RISE	DOOR	TV (DDL)	LOCK	RATED

0	ASTRAGAL	POSITIVE LATCHING	KEY OPERATED LOCK	UL 1784	ELECTRO MAGNETICALLY LOCKED
0	UL 10C	TEMPERATURE RISE	SMOKE BARRIER	UL 294	NFPA 252
0	SENSOR RELEASE	RABBET	ASTM E119	MULLION	FIRE RESISTANCE RATED
0	SAFETY GLAZING	SMOKE ACTIVATED	ICC 500	FIRE PROTECTION RATED	STORM SHELTER
0	CONTROLLED EGRESS	EXIT PASSAGEWAY	AUTOMATIC CLOSING	DELAYED EGRESS	COMMUNICATING DOOR

0	MULLION	POSITIVE LATCHING	DELAYED EGRESS	UL 1784	UL 294
0	CONTROLLED EGRESS	EXIT PASSAGEWAY	AUTOMATIC CLOSING	STORM SHELTER	FIRE PROTECTION RATED
0	FIRE RESISTANCE RATED	NFPA 252	ASTM E119	ICC 500	SAFETY GLAZING
0	KEY OPERATED LOCK	COMMUNICATING DOOR	TEMPERATURE RISE	RABBET	SENSOR RELEASE
0	SMOKE ACTIVATED	UL 10C	ASTRAGAL	ELECTRO MAGNETICALLY LOCKED	SMOKE BARRIER

0	KEY OPERATED LOCK	AUTOMATIC CLOSING	ASTM E119	CONTROLLED EGRESS	SMOKE BARRIER
0	NFPA 252	SMOKE ACTIVATED	POSITIVE LATCHING	RABBET	SENSOR RELEASE
0	UL 10C	MULLION	ICC 500	FIRE RESISTANCE RATED	FIRE PROTECTION RATED
0	STORM SHELTER	ELECTRO MAGNETICALLY LOCKED	EXIT PASSAGEWAY	DELAYED EGRESS	COMMUNICATING DOOR
0	ASTRAGAL	SAFETY GLAZING	TEMPERATURE RISE	UL 1784	UL 294

0	ELECTRO MAGNETICALLY LOCKED	ICC 500	UL 294	KEY OPERATED LOCK	FIRE RESISTANCE RATED
0	COMMUNICATING DOOR	FIRE PROTECTION RATED	CONTROLLED EGRESS	NFPA 252	RABBET
0	SENSOR RELEASE	UL 1784	SMOKE ACTIVATED	DELAYED EGRESS	STORM SHELTER
0	SAFETY GLAZING	EXIT PASSAGEWAY	SMOKE BARRIER	ASTRAGAL	ASTM E119
0	MULLION	TEMPERATURE RISE	POSITIVE LATCHING	UL 10C	AUTOMATIC CLOSING

0	NFPA 252	STORM SHELTER	ELECTRO MAGNETICALLY LOCKED	POSITIVE LATCHING	ASTM E119
0	SAFETY GLAZING	RABBET	EXIT PASSAGEWAY	MULLION	AUTOMATIC CLOSING
0	UL 294	TEMPERATURE RISE	ICC 500	KEY OPERATED LOCK	FIRE PROTECTION RATED
0	SMOKE BARRIER	COMMUNICATING DOOR	UL 10C	UL 1784	SENSOR RELEASE
0	ASTRAGAL	DELAYED EGRESS	CONTROLLED EGRESS	FIRE RESISTANCE RATED	SMOKE ACTIVATED

0	STORM SHELTER	RABBET	POSITIVE LATCHING	EXIT PASSAGEWAY	SMOKE ACTIVATED
0	SENSOR RELEASE	MULLION	UL 10C	CONTROLLED EGRESS	ASTRAGAL
0	COMMUNICATING DOOR	DELAYED EGRESS	UL 1784	UL 294	FIRE RESISTANCE RATED
0	SAFETY GLAZING	SMOKE BARRIER	ASTM E119	NFPA 252	KEY OPERATED LOCK
0	ELECTRO MAGNETICALLY LOCKED	AUTOMATIC CLOSING	ICC 500	TEMPERATURE RISE	FIRE PROTECTION RATED

0	KEY OPERATED LOCK	ASTM E119	CONTROLLED EGRESS	FIRE RESISTANCE RATED	RABBET
0	MULLION	SAFETY GLAZING	AUTOMATIC CLOSING	FIRE PROTECTION RATED	ASTRAGAL
0	UL 1784	SMOKE BARRIER	TEMPERATURE RISE	ICC 500	SMOKE ACTIVATED
0	COMMUNICATING DOOR	NFPA 252	STORM SHELTER	DELAYED EGRESS	EXIT PASSAGEWAY
0	UL 10C	UL 294	SENSOR RELEASE	POSITIVE LATCHING	ELECTRO MAGNETICALLY LOCKED

0 0	ICC 500	FIRE RESISTANCE RATED	ASTM E119	SAFETY GLAZING	COMMUNICATING DOOR
0	STORM SHELTER	UL 1784	SENSOR RELEASE	UL 10C	FIRE PROTECTION RATED
0	SMOKE BARRIER	KEY OPERATED LOCK	ELECTRO MAGNETICALLY LOCKED	EXIT PASSAGEWAY	UL 294
0	NFPA 252	TEMPERATURE RISE	RABBET	POSITIVE LATCHING	CONTROLLED EGRESS
0	DELAYED EGRESS	SMOKE ACTIVATED	ASTRAGAL	AUTOMATIC CLOSING	MULLION

0	TEMPERATURE RISE	SENSOR RELEASE	ELECTRO MAGNETICALLY LOCKED	AUTOMATIC CLOSING	ICC 500
0	RABBET	POSITIVE LATCHING	UL 294	UL 10C	MULLION
0	NFPA 252	EXIT PASSAGEWAY	CONTROLLED EGRESS	KEY OPERATED LOCK	FIRE PROTECTION RATED
0	SAFETY GLAZING	ASTM E119	COMMUNICATING DOOR	FIRE RESISTANCE RATED	DELAYED EGRESS
0	SMOKE ACTIVATED	STORM SHELTER	ASTRAGAL	SMOKE BARRIER	UL 1784

0	SENSOR RELEASE	NFPA 252	UL 10C	CONTROLLED EGRESS	COMMUNICATING DOOR
0	FIRE PROTECTION RATED	KEY OPERATED LOCK	ASTM E119	FIRE RESISTANCE RATED	UL 1784
0	ICC 500	POSITIVE LATCHING	AUTOMATIC CLOSING	STORM SHELTER	TEMPERATURE RISE
0	SMOKE BARRIER	UL 294	DELAYED EGRESS	SMOKE ACTIVATED	RABBET
0	EXIT PASSAGEWAY	MULLION	SAFETY GLAZING	ASTRAGAL	ELECTRO MAGNETICALLY LOCKED

0	ASTM E119	EXIT PASSAGEWAY	FIRE RESISTANCE RATED	SMOKE BARRIER	ELECTRO MAGNETICALLY LOCKED
0	ASTRAGAL	UL 1784	KEY OPERATED LOCK	STORM SHELTER	ICC 500
0	CONTROLLED EGRESS	SAFETY GLAZING	MULLION	COMMUNICATING DOOR	RABBET
0	SENSOR RELEASE	TEMPERATURE RISE	NFPA 252	UL 294	POSITIVE LATCHING
0	SMOKE ACTIVATED	FIRE PROTECTION RATED	AUTOMATIC CLOSING	DELAYED EGRESS	UL 10C

0	MULLION	EXIT PASSAGEWAY	UL 1784	UL 10C	NFPA 252
0	STORM SHELTER	ASTRAGAL	ASTM E119	UL 294	TEMPERATURE RISE
0	CONTROLLED EGRESS	SENSOR RELEASE	KEY OPERATED LOCK	COMMUNICATING DOOR	SMOKE ACTIVATED
0	FIRE PROTECTION RATED	RABBET	POSITIVE LATCHING	FIRE RESISTANCE RATED	ICC 500
0	AUTOMATIC CLOSING	SAFETY GLAZING	SMOKE BARRIER	DELAYED EGRESS	ELECTRO MAGNETICALLY LOCKED

0	ICC 500	SMOKE ACTIVATED	UL 1784	SAFETY GLAZING	ELECTRO MAGNETICALLY LOCKED
0	STORM SHELTER	TEMPERATURE RISE	UL 10C	ASTM E119	POSITIVE LATCHING
0	COMMUNICATING DOOR	SENSOR RELEASE	SMOKE BARRIER	FIRE RESISTANCE RATED	FIRE PROTECTION RATED
0	CONTROLLED EGRESS	AUTOMATIC CLOSING	EXIT PASSAGEWAY	DELAYED EGRESS	NFPA 252
0	UL 294	RABBET	ASTRAGAL	KEY OPERATED LOCK	MULLION

0	ICC 500	AUTOMATIC CLOSING	TEMPERATURE RISE	ASTM E119	CONTROLLED EGRESS
0	EXIT PASSAGEWAY	ASTRAGAL	COMMUNICATING DOOR	KEY OPERATED LOCK	FIRE PROTECTION RATED
0	NFPA 252	POSITIVE LATCHING	UL 294	UL 10C	ELECTRO MAGNETICALLY LOCKED
0	SENSOR RELEASE	SMOKE BARRIER	STORM SHELTER	DELAYED EGRESS	UL 1784
0	RABBET	SAFETY GLAZING	SMOKE ACTIVATED	FIRE RESISTANCE RATED	MULLION

0	RABBET	EXIT PASSAGEWAY	ASTRAGAL	ELECTRO MAGNETICALLY LOCKED	UL 10C
0	DELAYED EGRESS	POSITIVE LATCHING	STORM SHELTER	ICC 500	UL 1784
0	SMOKE ACTIVATED	NFPA 252	MULLION	CONTROLLED EGRESS	AUTOMATIC CLOSING
0	KEY OPERATED LOCK	SMOKE BARRIER	SENSOR RELEASE	FIRE RESISTANCE RATED	COMMUNICATING DOOR
0	ASTM E119	TEMPERATURE RISE	SAFETY GLAZING	FIRE PROTECTION RATED	UL 294